TECE

# UK PRODUCT RANGE JULY 2026

TECE UK



tece.co.uk

close to you

# Index


## Sanitary Systems

Page

TECE sanitary ceramics 4

TECE flush plates 12

TECE sanitary modules 28

Cisterns 40

Urinal systems 44

TECElux 52

## Drainage Systems

Wetroom shower drainage 56

Wetroom shower gradient boards 86

Wetroom waterproofing 88







| | Page |
|---|---|
| Sets | 6 |
| Shower toilets | 8 |
| TECEloft | 10 |

# Toilets - Sets

**TECEneo set, hot and cold water**







Set consisting of:
TECEneo shower toilet with hot and cold water connection (9700205).
TECE toilet seat with lid “slim” (9700603).
Connection material including concealed attachment, sound insulation tape etc.
**Shower pan connection set required (see page 7).**

| Code | | Dimensions (mm) |
|---|---|---|
| 9700213 | **NEW** | - |

**TECEneo set, cold water**







Set consisting of:
TECEneo shower toilet with cold water connection (9700207).
TECE toilet seat with lid “slim” (9700603).
Connection material including concealed attachment, sound insulation tape etc.
**Shower pan connection set required (see page 7).**

| Code | | Dimensions (mm) |
|---|---|---|
| 9700214 | **NEW** | - |

*Check Availability

**TECEneo set, without shower function set**







Set consisting of:
TECEneo toilet ceramics without shower function (9700209).
TECEneo/one (shower) toilet seat with lid “slim” (9700603).
Connection material including concealed attachment, sound insulation tape etc.
**Shower pan connection set required (see page 7).**

| Code | | Dimensions (mm) |
|---|---|---|
| 9700215 | **NEW** | - |

**TECEone set, hot and cold water**







Set consisting of:
TECEone shower toilet with hot and cold water connection (9700200).
TECEone toilet seat with lid “classic” (9700600).
Connection material including concealed fixing, sound insulation tape etc.
**Shower pan connection set required (see page 7).**

| Code | | Dimensions (mm) |
|---|---|---|
| 9700216 | **NEW** | - |

**TECEone set, cold water**






Set consisting of:
TECEone shower toilet with cold water connection (9700201).
TECE toilet seat with lid “classic” (9700600).
Connection material including concealed fixing, sound insulation tape etc.
**Shower pan connection set required (see page 7).**

| Code | | Dimensions (mm) |
|---|---|---|
| 9700212 | **NEW** | - |

*Check Availability

**TECE ceramic shower pan connection set, standard frames**



Toilet connection set for wall mounted toilets.
Required for all TECE shower toilets.

| Code | Dimensions (mm) | |
|---|---|---|
| 9700700 | - | £ 159.00 |

**TECE ceramic shower pan connection set, slimline frame**



Toilet connection set for wall mounted toilets.
Required for all TECE shower toilets.

| Code | Dimensions (mm) |
|---|---|
| 9700710 | - |


# Shower toilets

**TECEneo shower toilet, hot and cold water**

Water-saving, rimless toilet ceramic with integrated shower function for comfortable personal cleaning using water. Shower function without electricity via on-site hot and cold water connection, toilet ceramic for in-wall cisterns, simple new installation or retrofitting.
**Shower pan connection set required (see page 7).**

| Code | Dimensions (mm) |
|---|---|
| 9700205 | 400 x 365 x 540 |







**TECEneo shower toilet, cold water***

Water-saving, rimless toilet ceramic with integrated shower function for comfortable personal cleaning using water. Shower function uses the building's cold water connection and therefore requires no electricity, toilet ceramic appliance for in-wall cisterns, simple new installation or retrofitting.
**Shower pan connection set required (see page 7).**

| Code | Dimensions (mm) |
|---|---|
| 9700207 | 383 x 365 x 540 |

*Check Availability







**TECEone shower toilet, hot and cold water**

Rimless toilet ceramic with integrated shower function for comfortable personal cleaning using water. The shower function uses the building's hot and cold water connections, and therefore requires no electricity. Toilet ceramics for in-wall cisterns, simple new installation or retrofitting.
**Shower pan connection set required (see page 7).**

| Code | Dimensions (mm) |
|---|---|
| 9700200 | 358 x 350 x 540 |







**TECEone shower toilet, cold water***

Rimless toilet ceramic with integrated shower function for comfortable personal cleaning using water. The shower function uses the building's cold water connections, and therefore requires no electricity. Toilet ceramics for in-wall cisterns, simple new installation or retrofitting.
**Shower pan connection set required (see page 7).**

| Code | Dimensions (mm) |
|---|---|
| 9700201 | 358 x 350 x 540 |

*Check Availability





**TECE toilet seat with lid “classic”**

Toilet seat with lid, suitable for TECE (shower) toilets with pre fix technology.





| Code | | Dimensions (mm) |
|---|---|---|
| 9700600 | | - |

**TECE toilet seat with lid “slim”**

Toilet seat with lid, suitable for TECE (shower) toilets with pre fix technology.





| Code | | Dimensions (mm) |
|---|---|---|
| 9700603 | **NEW** | - |

**TECE shower toilet control dial, plastic**

For individualisation of TECE shower toilets, simply interchangeable.
Plastic variants each with additional printed operating instructions.





**TECE shower toilet control dial temperature, plastic white (Quantity: 1)**

| Code | | Dimensions (mm) |
|---|---|---|
| 9820361 | **NEW** | - |

**TECE shower toilet control dial water volume, plastic white (Quantity: 1)**

| Code | | Dimensions (mm) |
|---|---|---|
| 9820362 | **NEW** | - |

**TECE shower toilet control dial, metal**

For individualisation of TECE shower toilets, simply interchangeable.
Elegant variants with side indentations for grip.





**TECE shower toilet control dial, brushed stainless steel (Quantity: 1)**

| Code | | Dimensions (mm) |
|---|---|---|
| 9700608 | **NEW** | - |

**TECE shower toilet control dial, matt black (Quantity: 1)**

| Code | | Dimensions (mm) |
|---|---|---|
| 9700606 | **NEW** | - |

# Toilets - TECEloft


**TECEloft set, toilet ceramic with cyclon flush, including seat/lid**

Set consists of:

- TECEloft toilet ceramic with cyclon flush.
- TECEloft toilet soft close seat/lid in classic high design (9700611).
- Concealed attachment.
- Assembly instructions.

| Code | | Dimensions (mm) |
|---|---|---|
| 9700224 | **NEW** | 353 x 313 x 515 |





**TECE shower toilet universal splash guard**

Transparent plastic cover for displaying the shower function, suitable for all TECE shower toilet models.




| Code | | Dimensions (mm) |
|---|---|---|
| 9820717 | **NEW** | - |



# Table of contents TECE flush plates





| | Page |
|---|---|
| TECEsquare | 14 |
| TECEsolid | 16 |
| TECEloop | 18 |
| TECEnow | 20 |
| TECEvelvet | 20 |
| TECEtraditional | 21 |
| TECElux mini | 22 |
| TECEsolid electronic | 23 |
| TECEplanus | 24 |
| TECEplanus electronic | 24 |
| Flush plate accessories | 25 |
| TECEflushpoint | 26 |


# Toilet flush plate - TECEsquare



**TECEsquare II metal toilet flush plate for dual-flush system**

Flush plate for TECE cisterns, for front or top actuation. Flat metal flush plate with two spring-mounted actuation rocker buttons. Including actuation rods, mounting material and disassembly tool. Compatible with insert chute for cleaning tablets.







| Colour | | Code | Dimensions (mm) |
|---|---|---|---|
| Brushed Stainless Steel (Anti-Fingerprint) | | 9240830 | 220 x 150 x 3 |
| Polished Chrome | | 9240831 | 220 x 150 x 3 |
| White | | 9240832 | 220 x 150 x 3 |
| Matt Black | | 9240833 | 220 x 150 x 3 |
| Matt White | | 9240834 | 220 x 150 x 3 |
| Brushed Warm Nickel (Anti-Fingerprint) | | 9240843 | 220 x 150 x 3 |
| Brushed Black Chrome (Anti-Fingerprint) | | 9240846 | 220 x 150 x 3 |
| Polished Black Chrome* | | 9240837 | 220 x 150 x 3 |
| Brushed Gold Optic (Anti-Fingerprint) | | 9240847 | 220 x 150 x 3 |
| Polished Gold Optic | | 9240839 | 220 x 150 x 3 |
| Brushed Red Gold (Anti-Fingerprint) | | 9240841 | 220 x 150 x 3 |
| Rusted Steel | | 9240845 | 220 x 150 x 3 |
| Brushed Cool Nickel (Anti-Fingerprint) | **NEW** | 9240850 | 220 x 150 x 3 |
| Brushed Brass (Anti-Fingerprint) | **NEW** | 9240851 | 220 x 150 x 3 |
| Brushed Bronze (Anti-Fingerprint) | **NEW** | 9240852 | 220 x 150 x 3 |
| Brushed Black (Anti-Fingerprint) | **NEW** | 9240853 | 220 x 150 x 3 |

*Check Availability

**TECEsquare II glass toilet flush plate for dual-flush system**







Flush plate for TECE cisterns, for front or top actuation. Flat glass flush plate with two spring-mounted actuation rocker buttons. Including actuation rods, mounting material and disassembly tool. Suitable for flush-mounted installation in combination with toilet installation frame and spacing frame **(See page 25)**. Compatible with insert chute for cleaning tablets.

| Colour | Code | Dimensions (mm) |
|---|---|---|
| Glass White Satin | 9240824 | 220 x 150 x 7 |
| Glass Black Satin | 9240825 | 220 x 150 x 7 |
| Glass Signal Grey Satin | 9240826 | 220 x 150 x 7 |
| Glass Sand Beige Satin | 9240827 | 220 x 150 x 7 |

**TECEsquare glass toilet flush plate for dual-flush system**






Flush plate for TECE cisterns, for front or top actuation. Flat glass flush plate with two spring-mounted actuation rocker buttons. Suitable for flush-mounted installation in combination with toilet installation frame for flush-mounted install **(See page 25)**. Compatible with insert chute for cleaning tablets.

| Colour | Code | Dimensions (mm) |
|---|---|---|
| Glass White, Buttons White | 9240800 | 220 x 150 x 11 |
| Glass White, Buttons Brushed Stainless Steel | 9240801 | 220 x 150 x 11 |
| Glass White, Buttons Polished Chrome | 9240802 | 220 x 150 x 11 |
| Glass Black, Buttons Brushed Stainless Steel | 9240806 | 220 x 150 x 11 |
| Glass Black, Buttons Polished Chrome | 9240807 | 220 x 150 x 11 |
| Glass Black, Buttons Gold | 9240808 | 220 x 150 x 11 |
| Glass Black, Buttons Black | 9240809 | 220 x 150 x 11 |

**TECEsquare, for self finish, buttons only**

TECEsquare flush plate buttons to allow for self finish of tiles.




Note:
Not a spare part for TECEsquare range of flush plates.


| Colour | Code | Dimensions (mm) |
|---|---|---|
| White | 9240818 | - |
| Stainless Steel | 9240819 | - |
| Polished Chrome | 9240820 | - |
| Black | 9240821 | - |

# Toilet flush plate - TECEsolid

**TECEsolid toilet flush plate for dual-flush system**

Flush plate for TECE cisterns, for front or top actuation. Flat stainless steel flush plate with rubber inlays on flush buttons, including actuation rods and mounting material. Compatible with insert chute for cleaning tablets.








| Colour | | Code | Dimensions (mm) |
|---|---|---|---|
| Matt Black | | 9240416 | 220 x 150 x 6 |
| Brushed Stainless Steel | | 9240430 | 220 x 150 x 6 |
| Bright Chrome | | 9240431 | 220 x 150 x 6 |
| Polished White | | 9240432 | 220 x 150 x 6 |
| Matt White | | 9240433 | 220 x 150 x 6 |
| Brushed Stainless Steel (Anti-Fingerprint) | | 9240434 | 220 x 150 x 6 |
| Brushed Bronze (Anti-Fingerprint) | **NEW** | 9240444 | 220 x 150 x 6 |
| Brushed Brass (Anti-Fingerprint) | **NEW** | 9240445 | 220 x 150 x 6 |
| Brushed Warm Nickel (Anti-Fingerprint) | **NEW** | 9240446 | 220 x 150 x 6 |
| Brushed Graphite (Anti-Fingerprint) | **NEW** | 9240447 | 220 x 150 x 6 |

**TECEsolid with diamond structure buttons**

Flush plate with structured surface for TECE cisterns, for front or top actuation. Flat stainless steel flush plate with rubber inlays on flush buttons, including actuation rods and mounting material. Compatible with insert chute for cleaning tablets.








| Colour | Code | Dimensions (mm) |
|---|---|---|
| Brushed Bronze (Anti-Fingerprint) | 9240435 | 220 x 150 x 6 |
| Brushed Brass (Anti-Fingerprint) | 9240436 | 220 x 150 x 6 |

**TECEsolid with line structure**

Flush plate with structured surface for TECE cisterns, for front or top actuation. Flat stainless steel flush plate with rubber inlays on flush buttons, including actuation rods and mounting material. Compatible with insert chute for cleaning tablets.








| Colour | Code | Dimensions (mm) |
|---|---|---|
| Brushed Nickel (Anti-Fingerprint) | 9240437 | 220 x 150 x 6 |
| Brushed Graphite (Anti-Fingerprint) | 9240438 | 220 x 150 x 6 |

**TECEsolid spacing frame**

For combination with the TECEsolid flush plate, use as an intermediate spacer frame and for flush mounting of the insert chute II and the TECEsquare II glass.






| Colour | Code | Dimensions (mm) |
|---|---|---|
| White | 9240440 | 220 x 150 x 4 |
| Grey | 9240441 | 220 x 150 x 4 |

**TECEsolid concealed screws (anti-theft)**

Concealed screw connection for anti-theft protection of TECEsolid flush plate, includes assembly tool. For commercial use.




| | | |
|---|---|---|
| TECEsolid Concealed Screws (Anti-Theft) | 9240442 | - |


# Toilet flush plate - TECEloop



**TECEloop plastic toilet flush plate for dual-flush system**

Flush plate for TECE cisterns, for front or top actuation. Flat plastic flush plate, flush buttons with rubber inlays, including actuation rods and mounting materials. Suitable for flush-mounted installation in combination with toilet installation frame and spacing frame **(See page 25).**
Compatible with insert chute for cleaning tablets.








| Colour | Code | Dimensions (mm) |
|---|---|---|
| Polished white | 9240920 | 220 x 150 x 5 |
| Bright Chrome | 9240921 | 220 x 150 x 5 |
| Matt Chrome | 9240922 | 220 x 150 x 5 |
| Polished White, Buttons Bright Chrome | 9240927 | 220 x 150 x 5 |
| Matt Black | 9240925 | 220 x 150 x 5 |
| Matt White | 9240926 | 220 x 150 x 5 |
| Polished Black | 9240924 | 220 x 150 x 5 |
| Metallic Nickel | 9240935 | 220 x 150 x 5 |
| Metallic Brass | 9240936 | 220 x 150 x 5 |
| Metallic Red Bronze | 9240937 | 220 x 150 x 5 |
| Metallic Graphite | 9240938 | 220 x 150 x 5 |

**TECEloop toilet flush plate for dual-flush system**

Flush plate for TECE cisterns, for front or top actuation. Flat glass flush plate with two spring-mounted flush buttons. Suitable for flush-mounted installation in combination with toilet installation frame **(See page 25)**. Compatible with insert chute for cleaning tablets.







| Colour | Code | Dimensions (mm) |
|---|---|---|
| Glass Polished Black, Buttons White | 9240654 | 220 x 150 x 11 |
| Glass Polished Black, Buttons Matt Chrome | 9240655 | 220 x 150 x 11 |
| Glass Polished Black, Buttons Bright Chrome | 9240656 | 220 x 150 x 11 |
| Glass Polished Black, Buttons Black | 9240657 | 220 x 150 x 11 |
| Glass Polished Black, Buttons Gold Plate | 9240658 | 220 x 150 x 11 |
| Glass Polished White, Buttons White | 9240650 | 220 x 150 x 11 |
| Glass Polished White, Buttons Matt Chrome | 9240659 | 220 x 150 x 11 |
| Glass Polished White, Buttons Bright Chrome | 9240660 | 220 x 150 x 11 |

**TECEloop modular**

Ultimate flexibility for designers to mix interchangeable modular push buttons (A) with decor panels (B) to offer over 100x variations of finish.

(A) + (B) = TECEloop modular



**(A) TECEloop modular, dual flush, buttons**

| Colour | Code | Dimensions (mm) |
|---|---|---|
| (A) Buttons, Polished White | 9240663 | - |
| (A) Buttons, Matt Chrome | 9240665 | - |
| (A) Buttons, Polished Chrome | 9240666 | - |
| (A) Buttons, Polished Black | 9240667 | - |
| (A) Buttons, Matt White | 9240618 | - |
| (A) Buttons, Matt Black | 9240619 | - |
| (A) Buttons, Polished Gold | 9240668 | - |
| (A) Buttons, Brushed Stainless Steel (Anti Fingerprint) | 9240669 | - |

**(B) TECEloop modular, dual flush, decor panel**

| Colour | Code | Dimensions (mm) |
|---|---|---|
| (B) Decor Panel, Glass White | 9240671 | 220 x 150 x 11 |
| (B) Decor Panel, Glass Black | 9240674 | 220 x 150 x 11 |
| (B) Decor Panel, Evening Blue | 9240615 | 220 x 150 x 11 |
| (B) Decor Panel, Titanium | 9240616 | 220 x 150 x 11 |
| (B) Decor Panel, Light Beige | 9240617 | 220 x 150 x 11 |
| (B) Decor Panel, Oak Wood | 9240612 | 220 x 150 x 11 |
| (B) Decor Panel, White Marble | 9240613 | 220 x 150 x 11 |
| (B) Decor Panel, Light Concrete | 9240614 | 220 x 150 x 11 |
| (B) Decor Panel, Slate Slab (Natural Stone Variable Finish) | 9240675 | 220 x 150 x 11 |


**(B) TECEloop modular, dual flush, self finish decor panel**


| Colour | Code | Dimensions (mm) |
|---|---|---|
| (B) Decor Panel, Self Finish **NEW** | 9240631 | 220 x 150 x 5 |

# Toilet flush plate - TECEnow, TECEvelvet

**TECEnow toilet flush plate for dual-flush system**

Flush plate for TECE cisterns, for front or top actuation. Flat plastic flush plate, buttons with rubber inlays on both sides. Including actuation rods and mounting material. Suitable for flush-mounted installation in combination with toilet installation frame and spacing frame **(See page 25)**. Compatible with insert chute for cleaning tablets.








| Colour | Code | Dimensions (mm) |
|---|---|---|
| White | 9240400 | 220 x 150 x 5 |
| Bright Chrome | 9240401 | 220 x 150 x 5 |
| Matt Chrome | 9240402 | 220 x 150 x 5 |
| Black | 9240403 | 220 x 150 x 5 |
| Matt Black | 9240407 | 220 x 150 x 5 |
| Matt White | 9240417 | 220 x 150 x 5 |
| Metallic Nickel | 9240418 | 220 x 150 x 5 |
| Metallic Brass | 9240419 | 220 x 150 x 5 |
| Metallic Red Bronze | 9240422 | 220 x 150 x 5 |
| Metallic Graphite | 9240423 | 220 x 150 x 5 |

**TECEvelvet toilet flush plate for dual-flush system**

Flat flush control plate with FENIX NTM® surface (FENIX by ARPA Industriale). Matt soft touch surface with anti-fingerprint. Suitable for flush-mounted installation in combination with toilet installation frame and spacing frame **(See page 25)**.







| Colour | Code | Dimensions (mm) |
|---|---|---|
| White | 9240735 | 220 x 150 x 5 |
| Beige | 9240733 | 220 x 150 x 5 |
| Beige Brown | 9240730 | 220 x 150 x 5 |
| Stone Grey | 9240734 | 220 x 150 x 5 |
| Anthracite | 9240731 | 220 x 150 x 5 |
| Black | 9240732 | 220 x 150 x 5 |

**TECEtraditional control handle for dual flush system***

Dual flush control handle offering an alternative to standard push button operation. Designed for reliable performance and a sleek finish.







| Colour | | Code | Dimensions (mm) |
|---|---|---|---|
| Polished Chrome | **NEW** | 02101600 | 248 x 212 x 16 |
| Polished Nickel | **NEW** | 02101601 | 248 x 212 x 16 |
| Brushed Brass | **NEW** | 02101602 | 248 x 212 x 16 |
| Polished Gold | **NEW** | 02101603 | 248 x 212 x 16 |


*Check Availability

# Toilet flush plate - TECElux mini

**(A) TECElux Mini flush plate with electronic touchless actuation**

Electronic flush plate with touch-free actuation for TECE cisterns with front actuation and actuation height of approx. 1m (centre flush plate). Flat glass actuation including mounting materials and actuation motor for dual-flush. Suitable for flush-mounted installation **(See page 25).**
Compatible with insert chute for cleaning tablets.







| Colour | Code | Dimensions (mm) |
|---|---|---|
| Glass Black | 9240961 | 220 x 150 x 8 |
| Glass White | 9240960 | 220 x 150 x 8 |

**(B) TECE transformer for toilet electronics and connection cable**

Transformer for the electrical connection of the TECElux Mini as well as the TECEsolid toilet electronics (approx. 1m central flush plate). One flush plate can be connected per transformer. For mounting in a flush-mounted socket with a diameter of 60mm and depth of 63mm. Electrical connection voltage 230v (100-240v, 50-60 Hz), output 12v DC. Cable length 5m.





| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Transformer For Toilet Electronics | 9810012 | - |

**TECElux Mini programming remote control**

Remote control for programming the TECElux Mini electronics.
Programmable functions: Recognition field, hygiene flush, actuation time, safety flush and display lighting brightness.



| Item | Code | Dimensions (mm) |
|---|---|---|
| TECElux Mini Programming Remote Control | 9240971 | - |

**TECElux Mini anti-theft device**


Concealed screw connection for anti-theft protection of TECElux Mini.




| Item | Code | Dimensions (mm) |
|---|---|---|
| TECElux Mini Anti-Theft Device | 9820354 | - |

**TECEsolid toilet electronics with touchless actuation**

Electronic flush plate with touch-free hygienic flushing for TECE cisterns with front actuation. Height of approx. 1m (centre of flush plate). Flat stainless steel flush plate including fixing material and actuation motor for single or dual flush. Compatible with insertion chute for cleaning tablets.






**TECEsolid electronic, dual flush, 6v battery**

| Colour | Code | Dimensions (mm) |
|---|---|---|
| Bright Chrome | 9240461 | 220 x 150 x 6 |
| Polished White | 9240462 | 220 x 150 x 6 |
| Matt White | 9240463 | 220 x 150 x 6 |
| Brushed Stainless Steel (Anti-Fingerprint) | 9240464 | 220 x 150 x 6 |
| Matt Black | 9240465 | 220 x 150 x 6 |

**TECEsolid electronic, dual flush, 12v mains**


| Colour | Code | Dimensions (mm) |
|---|---|---|
| Bright Chrome | 9240451 | 220 x 150 x 6 |
| Polished White | 9240452 | 220 x 150 x 6 |
| Matt White | 9240453 | 220 x 150 x 6 |
| Brushed Stainless Steel (Anti-Fingerprint) | 9240454 | 220 x 150 x 6 |
| Matt Black | 9240455 | 220 x 150 x 6 |

Can be programmed using TECEsmartcontrol app. Scan QR code to download.

**(B) TECE transformer for toilet electronics and connection cable**

Transformer for the electrical connection of the TECElux Mini as well as the TECEsolid toilet electronics (approx. 1m central flush plate). One flush plate can be connected per transformer. For mounting in a flush-mounted socket with a diameter of 60mm and depth of 63mm. Electrical connection voltage 230v (100-240v, 50-60 Hz), output 12v DC. Cable length 5m.





| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Transformer For Toilet Electronics | 9810012 | - |


# Toilet flush plate - TECEplanus



**TECEplanus toilet flush plate**

Stainless steel flush plate for TECE cisterns, for front or top actuation, attached with concealed screws. Stop collar with rubber inlays on both sides. Including actuation rod and mounting material. Compatible with insert chute for cleaning tablets.






**TECEplanus, single flush**


| Colour | Code | Dimensions (mm) |
|---|---|---|
| Brushed Stainless Steel | 9240310 | 214 x 144 x 15 |


**TECEplanus, dual flush**

| Colour | Code | Dimensions (mm) |
|---|---|---|
| Brushed Stainless Steel | 9240320 | 214 x 144 x 15 |

**TECEplanus electronic flush plate**

Hands-free electronic flush control plates and accessories including manual override option. Battery, mains and remote control flush options available.






**TECEplanus electronic control IR sensor 6v battery**

| Colour | Code | Dimensions (mm) |
|---|---|---|
| Brushed Stainless Steel | 9240350 | 214 x 144 x 15 |
| Polished Chrome | 9240351 | 214 x 144 x 15 |
| White | 9240361 | 214 x 144 x 15 |

**(A) TECEplanus electronic control IR 230/12v mains**

| Colour/Description | Code | Dimensions (mm) |
|---|---|---|
| Brushed Stainless Steel | 9240352 | 214 x 144 x 15 |
| Polished Chrome | 9240353 | 214 x 144 x 15 |
| White Polished | 9240362 | 214 x 144 x 15 |
| Electronic 12v Connection Cable* | 9810004 | 214 x 144 x 15 |
| Electronic Transformer 240/12v* | 9810003 | 214 x 144 x 15 |

*Required to operate 12v mains


**TECEplanus remote controls**


| Item | Code | Dimensions (mm) |
|---|---|---|
| Wireless Remote Control For Grab Rail, 6v Battery | 9240354 | - |
| Cable Remote Control For Grab Rail, 6v Battery | 9240356 | - |
| Wireless Remote Control For Grab Rail, 12v Mains | 9240355 | - |
| Cable Remote Control For Grab Rail, 12v Mains | 9240357 | - |
| Remote Button | 9240360 | - |

**TECE toilet installation frame for flush-mounted installation**

Installation kit for flush-mounted installation of toilet flush plates TECEloop glass, TECEloop plastic, TECEvelvet, TECEsquare glass, TECEsquare II glass, TECElux Mini as well as TECEnow. Depth-adjustable tile frame for wall coverings from 5-18mm (from 18-33mm with adjustment bolt - Item No. 9820181). Includes disassembly tool for flush plate.

Installation frame required during shell assembly!







| Colour | Code | Dimensions (mm) |
|---|---|---|
| White | 9240646 | - |
| Black | 9240647 | - |
| Gold Plate | 9240648 | - |
| Chrome | 9240649 | - |
| Metal | 9240644 | - |
| | | |
| TECE Extension Set For Natural Stone | 9820181 | - |

**TECE spacing frame**

Used as an intermediate spacer frame for TECEnow and TECEloop plastic flush plates and for flush mounting of TECEnow, TECEloop plastic, TECEvelvet and TECEsquare II glass.






| Colour | Code | Dimensions (mm) |
|---|---|---|
| White | 9240410 | 220 x 150 x 5 |
| Bright Chrome | 9240411 | 220 x 150 x 5 |
| Matt Chrome | 9240412 | 220 x 150 x 5 |
| Black | 9240415 | 220 x 150 x 5 |

**TECE extension set for TECE toilet flush plates**


For extending attachment and actuation rods by max. 12cm.




| Colour | Code | Dimensions (mm) |
|---|---|---|
| TECE Flush Plate Controls Deep Wall Kit | 9820030 | - |

# Toilet flush plate - TECEflushpoint

**(A) TECEflushpoint pneumatic remote release for dual-flush system, fine installation set, with round cover**







Pneumatic remote release for TECE cisterns for decentralised actuation of the cistern in combination with a manual TECE flush plate for use in solid and dry-wall construction or furniture installation. Flat design plastic cover plate in round design, large and small plastic button and the pneumatic actuation unit. Can be placed 1.7m away from the cistern.

**Caution**:
Can only be used in combination with the TECEflushpoint pneumatic remote release (lifting engine) shell set (B).

| Colour | Code | Dimensions (mm) |
|---|---|---|
| Polished White | 9240981 | 95 x 95 x 5 |
| Bright Chrome | 9240982 | 95 x 95 x 5 |
| Matt Chrome | 9240983 | 95 x 95 x 5 |

**(A) TECEflushpoint pneumatic remote release for dual-flush system, fine installation set, with square cover**







Pneumatic remote release for TECE cisterns for decentralised actuation of the cistern in combination with a manual TECE flush plate. For use in solid and dry-wall construction or furniture installation. Flat design plastic cover in square design, large and small plastic button and the pneumatic actuation unit. Can be placed 1.7m away from the cistern.

**Caution**:
Can only be used in combination with the TECEflushpoint pneumatic remote release (lifting engine) shell set (B).

| Colour | Code | Dimensions (mm) |
|---|---|---|
| Polished White | 9240978 | 95 x 95 x 5 |
| Bright Chrome | 9240979 | 95 x 95 x 5 |
| Matt Chrome | 9240980 | 95 x 95 x 5 |

**(A) TECEflushpoint pneumatic remote release for single-flush system, fine installation set, with square cover**






Pneumatic remote release for TECE cisterns for decentralised actuation of the cistern in combination with a manual TECE flush plate. For use in solid and dry-wall construction or furniture installation. Flat design plastic cover plate in square design, large protruding plastic button and the pneumatic actuation unit. Can be placed 1.7m away from the cistern.

**Caution**:
Can only be used in combination with the TECEflushpoint pneumatic remote release (lifting engine) shell set (B).

| Colour | Code | Dimensions (mm) |
|---|---|---|
| Polished White | 9240984 | 95 x 95 x 5 |

**(B) TECEflushpoint pneumatic remote release (lifting engine) for cisterns with drain valve A2, shell set**



Pneumatic remote control for Uni 750-, Uni and Base cisterns for decentralised cistern actuation in combination with a manual TECE flush plate or an inspection cover. For use in solid and dry-wall construction or furniture installation.

Consisting of: pneumatic actuator for Uni cistern, flush-mounted socket, 2m pneumatic hose, 2m empty conduit, installation depth: 75mm.

| Description | Code | Dimensions (mm) |
|---|---|---|
| Standard Lifting Engine | 9240976 | - |

**(B) TECEflushpoint pneumatic remote release (lifting engine) for cistern with drain valve A5, shell set**



Pneumatic remote control for Compact 320- and Octa II slimline- for decentralised cistern actuation in combination with a manual TECE flush plate or an inspection cover. For use in solid and dry-wall construction or furniture installation.

Consisting of: pneumatic actuator for cistern, flush-mounted socket, 2m pneumatic hose, 2m empty conduit, installation depth: 75mm.

| Description | Code | Dimensions (mm) |
|---|---|---|
| 320 & Slimline Lifting Engine | 9240977 | - |



# Table of contents Sanitary modules





| | Page |
|---|---|
| TECEprofil design | 30 |
| TECEconstruct professional | 31 |
| TECE special purpose modules | 32 |
| Accessories | 34 |

**TECEprofil toilet module “Design” with Uni cistern, WRAS approval, installation height 1120mm**

Toilet module including “easy fit” flush plate installation and conduit to connect electronic shower toilets. For fitting to TECEprofil wall building system or for installation in metal or wooden stud walls and as a pre-wall or corner module; also suitable for solid wall. Front actuation. **Wall brackets included.**


| Code | Dimensions (mm) |
|---|---|
| 9300377 | 1120 x 500 x 150 |




**TECEprofil toilet module “Design” with Uni cistern, WRAS approval, installation height 980mm**

Toilet module including “easy fit” flush plate installation and conduit to connect electronic shower toilets. For fitting to TECEprofil wall building system or for installation in metal or wooden stud walls and as a pre-wall or corner module. Front and top actuation. **Wall brackets included.**


| Code | Dimensions (mm) |
|---|---|
| 9300329 | 980 x 500 x 150 |




**TECEprofil toilet module “Design” with Uni cistern, WRAS approval, installation height 820mm**

Toilet module including “easy fit” flush plate installation and conduit to connect electronic shower toilets. For fitting to TECEprofil wall building system or for installation in metal or wooden stud walls and as a pre-wall or corner module. Front and top actuation. **Wall brackets included.**

| Code | Dimensions (mm) |
|---|---|
| 9300378 | 820 x 500 x 150 |




**TECEprofil Design shower toilet connection sets**

Connect TECEprofil design cistern frames to TECE shower toilets. Also suitable for electronic shower toilets.

**TECE shower toilet/seat connection set for Design, H112**

| Code | Dimensions (mm) |
|---|---|
| 9880052AG | - |

**TECE shower toilet/seat connection set for Design, H98**

| Code | Dimensions (mm) |
|---|---|
| 9880053AG | - |

**TECE shower toilet/seat connection set for Design, H82**

| Code | Dimensions (mm) |
|---|---|
| 9880054AG | - |




**TECEconstruct “Professional” toilet module with Uni cistern, WRAS approval, installation height 1120mm**

Toilet module including “easy fit” flush plate assembly. Suitable for solid wall, as a pre-wall module in front of solid walls and for installation in metal or wooden stud walls. Front actuation. **Wall brackets included.**

| Code | Dimensions (mm) |
|---|---|
| 9400302 | 1120 x 500 x 150 |







**TECEconstruct “Professional” toilet module with Uni cistern, WRAS approval, installation height 980mm**

Toilet module including “easy fit” flush plate assembly. Suitable for solid wall, as a pre-wall module in front of solid walls and for installation in metal or wooden stud walls. Front and top actuation. **Wall brackets included.**

| Code | Dimensions (mm) |
|---|---|
| 9400303 | 980 x 500 x 150 |







**TECEconstruct “Professional” toilet module with Uni cistern, WRAS approval, installation height 820mm**

Toilet module including “easy fit” flush plate assembly. Suitable for solid wall, as a pre-wall module in front of solid walls and for installation in metal or wooden stud walls. Front and top actuation. **Wall brackets included.**

| Code | Dimensions (mm) |
|---|---|
| 9400304 | 820 x 500 x 150 |






**TECEprofil toilet module with 8cm Octa II cistern, installation height 1120mm**

Toilet module including “easy fit” flush plate installation. For fitting to wallbuilding system or for installation in metal or wooden stud walls and as a pre-wall or corner module.


| Code | | Dimensions (mm) |
|---|---|---|
| 9300502 | | 1120 x 500 x 80 |




**TECEprofil toilet module with Compact 320 cistern, installation height 1120mm**

Toilet module including “easy fit” flush plate assembly. For fixing to wallbuilding system or for installation in metal or wooden stud walls and as a pre-wall or corner module; also suitable for solid wall.


| Code | | Dimensions (mm) |
|---|---|---|
| 9300600 | **NEW** | 1120 x 320 x 150 |




**TECEprofil toilet module with Uni 750 cistern, installation height 750mm**

Toilet module including “easy fit” flush plate assembly. For fitting to wallbuilding system or for installation in metal or wooden stud-and-beam walls and as a pre-wall or corner module; also suitable for solid wall.


| Code | | Dimensions (mm) |
|---|---|---|
| 9300291 | **NEW** | 750 x 500 x 150 |



**TECEprofil toilet module with Uni cistern, with connection for odour extraction (DN70), installation height 1120mm**

Toilet module including “easy fit” flush plate installation and conduit to connect electronic shower toilets. For fitting to wallbuilding system or for installation in metal or wooden stud walls and as a pre-wall or corner module; also suitable for solid wall. **Excludes wall brackets.**


| Code | Dimensions |
|---|---|
| 9300303 | 1120 x 500 x 150 |




**TECEprofil WC Geronto module with Uni cistern, ceramic attachment for sitting height of 48cm, DDA compliant, installation height 1120mm**

Toilet module including “easy fit” flush plate installation and conduit to connect electronic shower toilets. For in front of a solid wall. For barrier-free construction with raised ceramic attachment. Module with lateral steel frames and conduits for cable laying, including mounting materials.
Safety support arm height = 760mm.


| Code | Dimensions |
|---|---|
| 9300309 | 1120 x 940 x 150 |




**TECEprofil toilet module with Uni cistern, with integrated warm and cold water hygiene flushing function, installation height 1120mm**


Toilet module including “easy fit” flush plate assembly. For fixing to wallbuilding system or for installation in metal or wooden stud walls and as a pre-wall or corner module; also suitable for solid wall. **Excludes wall brackets.**

| Code | Dimensions |
|---|---|
| 9300102 | 1120 x 500 x 150 |



**TECE insert chute II for cleaning tablets (TECElux Mini, TECEsquare glass, TECEvelvet, TECEloop and TECEnow)**






For inserting toilet cleaning tablets into Uni (TECEbox) and Base cisterns; in combination with TECElux Mini, TECEsquare glass, TECEvelvet, TECEloop and TECEnow flush plates; for installation from the front; suitable for flush-mounted installation.


Use in brick-wall construction from 22mm wall structure.
Maximum wall structure: 79mm dry-wall construction, 98mm brick-wall construction.

Attention:
The cleaning tablets used must not contain chlorine or any other oxidizing components.
Not compatible with TECEflushpoint pneumatic remote release.

| Item | Code | Dimensions (mm) |
|---|---|---|
| Insert Chute For lux mini, square glass, velvet, loop and now | 9240951 | - |

**TECE insert chute II for cleaning tablets (TECEsquare II metal, TECEsquare II glass and TECEsolid)**






For inserting toilet cleaning tablets into Uni (TECEbox) and Base cisterns; in combination with TECEsquare II metal, TECEsquare II glass and TECEsolid flush plates; for installation from the front; suitable for flush-mounted installation in conjunction with the TECEsquare II glass and the TECEsolid spacing frame.

Use in brick-wall construction from 32mm wall structure.
Maximum wall structure: 89mm dry-wall construction, 108mm brick-wall construction.

Attention:
The cleaning tablets used must not contain chlorine or any other oxidizing components.
Not compatible with TECEflushpoint pneumatic remote release.

| Description | Code | Dimensions (mm) |
|---|---|---|
| Insert Chute For square II metal, square II glass and solid | 9240952 | - |

**TECE throttle set for Uni (standard) cisterns**

Throttle set to adapt the Uni and Base cistern flushing pressure, installs in valve seat of drain valve, diameter 46-28mm.



| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Throttle Set For Uni (Standard) Cisterns | 9820337 | - |

**TECE throttle set for Octa II, and Compact 320 cisterns**

Throttle set for adjusting the flush pressure for Octa II slimline, and Compact 320 cisterns, installation in the valve seat of the drain valve, diameter 32-28mm.



| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Throttle Set for Octa II Slimline, and Compact 320 Cistern | 9820394 | - |

# Sanitary modules - Accessories



**TECEprofil module attachment brackets with depth adjustment and quick closure**

To attach modules to a solid structural wall and to the TECEprofil section tube, installation spacing 150-240mm.



Consisting of:

- Two depth-adjustable module brackets.
- Mounting materials.

| Item | Code | Dimensions (mm) |
|---|---|---|
| TECEprofil Module Attachment With Depth Adjustment and Quick Closure | 9380014 | - |

**TECE wall attachment brackets 90°**

Single module attachment to fasten a module to a stable wall.



| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Wall Attachment Brackets 90° | 9380300 | - |


**TECE wall attachment brackets 45°**

Module attachment brackets to fasten a module to a solid structural wall at a 45° angle.



Consisting of:

- Two wall attachment brackets 45°.
- Fixing material.




Compact 320 dimensions used in diagram

| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Module Attachment Brackets 45° | 9380301 | - |

**TECEprofil module attachment brackets for variable corner installation**

To attach TECE modules in front of a structural corner. Space-saving corner assembly, including fitting of downpipes, ventilation pipes or supply pipes behind the module, is an option with all modules.



Consisting of:

- Two wall attachment brackets for corner assembly, variable elbow.
- Mounting material for assembly in front of the wall.

| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Module Attachment Brackets For Variable Corner Installation | 9380003 | - |

**TECE panel kit for niches**

Top for TECE modules for assembly and attachment in niches of 680-1130mm, including mounting materials.

Note:
Panel kit can only be used in combination with front actuation.




| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Panel Kit For Niches | 9380013 | - |

**TECE module attachment brackets for 45° wall corner installation**

To attach TECE modules to a solid or lightweight wall at a 45° angle. Only one side needs to be screwed to the wall.

Completely pre-assembled unit, consisting of:
- Assembly crossbeam with galvanised surface, height-adjustable, for adaptation to tile pattern.
- Galvanised light weight wall profile to attach panel facing.
- Mounting material for assembly on the wall.








| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Module Attachment Brackets For 45° Wall Corner Installation | 9380004 | - |

**TECEprofil 320 module attachment brackets for wall corner assembly**

For mounting TECE modules with a frame width of 320mm at an angle of 45° to a solid or plasterboard wall. Only one leg needs to be screwed to the wall.

Completely pre-assembled unit, consisting of:
- Mounting crossbeam with galvanised surface, height-adjustable, for adapting to the tile grid.
- Zinc-plated lightweight profile for fastening the cladding.
- Mounting material for wall assembly.






| Item | Code | Dimensions (mm) |
|---|---|---|
| TECEprofil 320 Module Attachment Brackets for Wall Corner Assembly | 9380015 | - |

**TECE toilet connection set DN90, polypropylene, 200mm**

Toilet connection set for wall-mounted toilets.

Consisting of:
- Waste water connection pipe with seal.
- Flush pipe connection with seal.
- Toilet mounting set with caps.



| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Toilet Connection Set DN 90 | 9820057 | - |

**TECE waterways toilet connection set DN90, polyethylene, 300mm**

Toilet connection set for wall-mounted toilets.

Consisting of:
- Waste water connection pipe with seal.
- Flush pipe connection with seal.
- Toilet mounting set with caps.



| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Toilet Connection Set DN 90 | 9820214 | - |

**TECE toilet connection set split-level 25mm, DN90**

Polyethylene connection set split-level 25mm for wall-hung toilets, DN90, including mounting materials.

Note:
Without warranty, may lead to reduced non-standard flushing performance.



| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Toilet Comfort Height Connection Set | 9880073 | - |

**TECE shallow pan support bracket**

For additional support in module frames for toilet ceramics with a reduced supporting surface (= distance from middle of attachment bolt to lower edge of supporting surface is not greater than 18cm). - e.g. V & B Memento and Subway 2.0. Suitable for TECE dry-wall modules with Uni 750, Uni or Base cisterns.




| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Shallow Pan Support Bracket | 9041029 | - |

**TECE toilet connector, DN90/100**

Toilet connector to connect toilet modules horizontally to a DN100 drain pipe. BS4" waste adaptor.







| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Toilet Connector, DN90/100 | 9820136 | - |

**TECE 90° toilet connection elbow, DN90/90**

Toilet connection elbow, to connect a toilet module to a DN90 drain, adjustable to three depths.







| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE 90° Toilet Connection Elbow, DN90/90 | 9820134 | - |

**TECE toilet connection elbow DN 90, flexible**

Flexible drain bend DN90, connection piece material PE-HD (weld-able).








| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Toilet Connection Elbow DN90, Flexible | 9820317 | - |


**TECE sound-insulation kit for toilet and bidet**


Sound insulation kit for sound insulation between the toilet or bidet ceramics and tile layer.






| Item | Code | Dimensions (mm) |
|---|---|---|
| TECE Sound-Insulation Kit For Toilet and Bidet | 9200010 | - |


komplett vormontiert
Eckventil
geschlossen
stop valve closed
vanne d'arrêt fermée
Zawór dopływowy zamęty
Siegel





| | Page |
|---|---|
| TECEuni | 42 |
| Special purpose cisterns | 43 |

**TECEbox toilet connection unit with Uni cistern, WRAS approval, installation height 1060mm**

Toilet connection unit including “easy fit” flush plate mounting; with retaining lugs for mounting in front of a solid wall.

| Code | Nominal Height (mm) |
|---|---|
| 9041336 | 1120 |








**TECEbox toilet connection unit with Uni cistern, WRAS approval, installation height 980mm**

Toilet connection unit including “easy fit” flush plate mounting; with retaining lugs for mounting in front of a solid wall.

| Code | Nominal Height (mm) |
|---|---|
| 9041337 | 980 |








**TECEbox toilet connection unit with Uni cistern, WRAS approval, installation height 820mm**

Toilet connection unit including “easy fit” flush plate mounting; with retaining lugs for mounting in front of a solid wall.

| Code | Nominal Height (mm) |
|---|---|
| 9041335 | 820 |







**TECEbox Octa II cistern, 8cm, for floor-standing toilet, with reinforcement fabric, installation height 1075mm**

Slimline concealed cistern for use with back-to-wall or floor-standing WC pans. Designed for front actuation. Combines space-saving installation with reliable, quiet, and efficient performance.

| Code | | Nominal Height (mm) |
|---|---|---|
| 9370500 | | 1120 |








**TECEbox Uni 750 cistern, installation height 750mm**

Toilet cistern including “easy fit” flush plate assembly. For installation in a bricked-in pre-wall in front of a solid wall; depth-adjustable.


| Code | | Nominal Height (mm) |
|---|---|---|
| 9300293 | **NEW** | 750 |






TECE

# Table of contents Urinal systems





| | Page |
|---|---|
| TECEfilo | 46 |
| TECE urinal modules | 48 |
| TECE washing modules | 49 |

**(A) TECEfilo urinal sensor plate**

Hands-free electronic flush control plates and accessories including manual override option. 12v mains or 7.2v battery flush valves required for use. Flush Valve required (B).







| Colour | Code | Dimensions (mm) |
|---|---|---|
| Brushed Stainless Steel (Anti Fingerprint) | 9242068 | 100 x 150 x 4 |
| White Glass | 9242064 | 100 x 150 x 7 |
| Black Glass | 9242065 | 100 x 150 x 7 |
| Polished White ABS | 9242066 | 100 x 150 x 5 |
| Bright Chrome ABS | 9240067 | 100 x 150 x 5 |

**(A) TECEfilo urinal sensor plate, solid**

Hands-free electronic flush control plates and accessories including manual override option. 12v mains or 7.2v battery flush valves required for use. Flush Valve required (B).







| Colour | Code | Dimensions (mm) |
|---|---|---|
| Polished White | 9242072 | 98 x 150 x 6 |
| Matt White | 9242073 | 98 x 150 x 6 |
| Brushed Stainless Steel | 9242074 | 98 x 150 x 6 |
| Brushed Stainless Steel (Anti-Fingerprint) | 9242075 | 98 x 150 x 6 |
| Bright Chrome | 9242076 | 98 x 150 x 6 |
| Matt Black | 9242077 | 98 x 150 x 6 |

**(A) TECEfilo urinal sensor plate, velvet**

Hands-free electronic flush control plates and accessories including manual override option. 12v mains or 7.2v battery flush valves required for use. Flush Valve required (B).






| Colour | Code | Dimensions (mm) |
|---|---|---|
| White | 9242081 | 100 x 150 x 5 |
| Black | 9242082 | 100 x 150 x 5 |
| Beige Brown | 9242083 | 100 x 150 x 5 |
| Grey Beige | 9242084 | 100 x 150 x 5 |
| Anthracite | 9242085 | 100 x 150 x 5 |
| Stone Grey | 9242086 | 100 x 150 x 5 |

**(B) TECEfilo valve unit 230/12v mains**

Solenoid valve 230/12v mains with dirt filter; can be used from minimum flow pressure 0.5 bar. For combination with the TECEfilo sensor cover and the flush valve U2.



| Colour | Code | Dimensions (mm) |
|---|---|---|
| TECEfilo Flush Valve 230/12v Mains Version | 9242092 | - |

**(B) TECEfilo valve unit 230/12v mains**

Solenoid valve 7.2v battery with dirt filter; can be used from minimum flow pressure 0.5 bar. For combination with the TECEfilo sensor cover and the flush valve U2, including battery 7.2v (2 x R6 - AA (3.v)).




| Colour | Code | Dimensions (mm) |
|---|---|---|
| TECEfilo Flush Valve 7.2v Battery Version | 9242091 | - |

**TECEprofil urinal module with TECE flush valve housing U2, installation height 1120mm**

Urinal module for combination with TECEfilo valve unit and sensor cover, for fixing to wallbuilding system or for installation in metal or wooden stud-and-beam walls and as a pre-wall or corner module.


| Code | Dimensions (mm) |
|---|---|
| 9320013 | 1120 x 500 |




**TECEprofil urinal module for wall-mounted flush valve, installation height 1120mm**

Urinal module to hold wall-mounted flush valves. To attach to wallbuilding system or to install in metal or wooden stud walls and as pre-wall or corner module.


| Code | Dimensions (mm) |
|---|---|
| 9320010 | 1120 x 500 |



**TECEprofil bidet module for wall-mounted bidet, installation height 1120mm**

To attach to wallbuilding system or to install in metal or wooden stud walls and as pre-wall or corner module. **Excludes wall brackets**.


| Code | Dimensions (mm) |
|---|---|
| 9330000 | 1120 x 500 |




**TECEprofil bidet module for wall-mounted bidet, installation height 820mm**

To attach to wallbuilding system or to install in metal or wooden stud walls and as pre-wall or corner module.

| Code | Dimensions (mm) |
|---|---|
| 9330005 | 820 x 500 |




# Urinal Systems - Washstand modules

**TECEprofil washstand module, installation height 1120mm**

To attach to wallbuilding system or to install in metal or wooden stud walls and as pre-wall or corner module. **Excludes wall brackets**.


| Code | Dimensions (mm) |
|---|---|
| 9310000 | 1120 x 500 |




**TECEprofil washstand module, installation height 820-980mm**

Washstand module for attachment to wallbuilding system or for installation in metal or wooden stud walls and as a pre-wall or corner module.
**Excludes wall brackets**.


| Code | Dimensions (mm) |
|---|---|
| 9310018 | 1120 x 500 |




**TECEprofil washstand module with concealed odour trap, installation height 1120mm**

To attach to wallbuilding system or to install in metal or wooden stud walls and as pre-wall or corner module. For construction of washstand units with a ground clearance to DIN 18040-1 (construction of accessible buildings – Part 1: Publicly accessible buildings). **Excludes wall brackets**.


| Code | Dimensions (mm) |
|---|---|
| 9310004 | 1120 x 500 |



**TECEprofil bath/shower module for flush-mounted and wall-mounted fittings, installation height 1120mm**

Bath/shower module to attach to wallbuilding system or to install in metal or wooden stud walls and as pre-wall or corner module; to take wall-mounted or flush-mounted fittings.

| Code | Dimensions (mm) |
|---|---|
| 9340000 | 1120 x 500 |






**TECElux**


TECElux is a smart toilet terminal that prepares your bathroom for the future. It hides all necessary connections behind the wall, allowing easy upgrades like shower toilets at a later time. With sleek design and modular flexibility, it offers comfort today and freedom for tomorrow.

Modular system where you pick the **TECElux module (A)**, **Upper panel (B)** and **Lower panel (C)** to have the full TECElux product.


**(A) TECElux module (page 54)**



TECElux module 100



TECElux module 200



TECElux module 400


**(B) Upper panel (page 55)**



White/Black buttons



Chrome buttons




“Sen-Touch” buttons




TECElux

**(C) Lower panel (page 55)**



Standard toilet



Shower toilet



Shower toilet seat


**For more information or guidance please contact our office 01761 241133**


# TECElux - Toliet modules (A)

**(A) TECElux toilet module 100, installation height 1120mm**

Dry-wall construction element for fitting to TECEprofil section tubes or for installation in metal or wooden stud walls and as a pre-wall or corner module. For TECElux glass facing with actuation unit.

| Code | Dimensions (mm) |
|---|---|
| 9600100 | 1120 x 500 x 150 |








**(A) TECElux toilet module 200, with subsequent height adjustment, installation height 1120mm**

Dry-wall construction element for installation in metal or wooden stud walls. For TECElux glass facing with actuation unit Sen-Touch and glass facing, subsequent 8cm manual height adjustment option.

| Code | Dimensions (mm) |
|---|---|
| 9600200 | 1120 x 500 x 150 |








**(A) TECElux toilet module 400, subsequent height adjustment, with odour extraction, installation height 1120mm**

Dry-wall construction element for installation in metal or wooden stud walls. For TECElux glass facing with actuation unit Sen-Touch and glass facing, subsequent 8cm manual height adjustment option, with “Ceramic-Air” odour extraction.

| Code | Dimensions (mm) |
|---|---|
| 9600400 | 1120 x 500 x 150 |






**(B) TECElux glass facing**

Upper glass facing with actuation unit for TECElux module with two-flush buttons. Installation only in conjunction with lower glass facing.








| Description | Code | Dimensions (mm) |
|---|---|---|
| Manual Actuation Glass White Buttons White | 9650000 | 555 x 430 x 16 |
| Manual Actuation Glass White Buttons Bright Chrome | 9650001 | 555 x 430 x 16 |
| Manual Actuation Glass Black Bright Chrome Buttons | 9650004 | 555 x 430 x 16 |
| Manual Actuation Glass Black Buttons Black | 9650005 | 555 x 430 x 16 |
| Electric Actuation Glass White | 9650002 | 555 x 430 x 16 |
| Electric Actuation Glass Black | 9650003 | 555 x 430 x 16 |

**(C) TECElux lower glass facing**

Lower glass facing for combination with toilet ceramics, including sound insulation set. Available in multiple variants for different toilet manufacturers.






| Description | Code | Dimensions (mm) |
|---|---|---|
| For Standard Toilet Glass White | 9650100 | 446 x 430 x 16 |
| For Shower Toilet Glass White | 9650101 | 446 x 430 x 16 |
| For Shower Toilet Seat Glass White | 9650102 | 446 x 430 x 16 |
| For Duravit Shower Toilet Glass White | 9650103 | 446 x 430 x 16 |
| For Geberit Shower Toilet Glass White | 9650104 | 446 x 430 x 16 |
| For Standard Toilet Glass Black | 9650105 | 446 x 430 x 16 |
| For Shower Toilet Glass Black | 9650106 | 446 x 430 x 16 |
| For Duravit Shower Toilet Glass Black | 9650107 | 446 x 430 x 16 |
| For Geberit Shower Toilet Glass Black | 9650108 | 446 x 430 x 16 |
| For TECEone and TECEneo Glass White | 9650109 | 446 x 430 x 16 |
| For TECEone and TECEneo Glass Black | 9650110 | 446 x 430 x 16 |






| | Page |
|---|---|
| TECE ELITEpro | 58 |
| TECE ELITE single point drain | 59 |

**TECE ELITEpro linear floor drain**

All in one Linear floor gully in Stainless Steel, Includes reversible tile insert grate and chassis. With 1 horizontal waste & trap. The universal floor drain. Complete with factory fitted membrane. Suits: 10mm - 20mm thick finishes.



**TECE ELITEpro Shower Channel, Fitted Membrane, Tile Grate & Trap**


| Description | Code | Dimensions (mm) |
|---|---|---|
| 500mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800280 | 500 |
| 600mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800281 | 600 |
| 700mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800282 | 700 |
| 800mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800283 | 800 |
| 900mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800284 | 900 |
| 1000mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800285 | 1000 |
| 1100mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800286 | 1100 |
| 1200mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800287 | 1200 |
| 1300mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800288 | 1300 |
| 1400mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800289 | 1400 |
| 1500mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800290 | 1500 |
| 1600mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800291 | 1600 |
| 1700mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800292 | 1700 |
| 1800mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800293 | 1800 |
| 1900mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800294 | 1900 |
| 2000mm Shower Channel, Fitted Membrane, Tile Grate & Trap | 00800295 | 2000 |

**TECE ELITEpro Concrete Installation Pack**

| Description | Code | Dimensions (mm) |
|---|---|---|
| 500 - 1200mm Drains | 009000500 | - |
| 1300 - 2000mm Drains | 009001300 | - |

**TECE ELITE single point drain**


2 sizes of single point drain in Stainless Steel, with UK compliant trap system. Height adjustable frame and reversible grate allows for tile insert or brushed stainless steel finish. Suitable for 10mm - 20mm floor finishes.



| Description | Code | Dimensions (mm) |
|---|---|---|
| Single Point Drain, TILE Insert / Stainless Steel Reversible Grate | 00800153 | 150 x 150 |
| Single Point Drain, TILE Insert / Stainless Steel Reversible Grate | 00800156 | 200 x 200 |


TECE

# Table of contents TECEdrainprofile




| | Page |
|---|---|
| TECEdrainprofile guide | 62 |
| Channel | 63 |
| Drain (Trap) | 64 |
| Installation components | 65 |

# Drainage Systems - TECEdrainprofile




**TECEdrainprofile**

TECEdrainprofile is an elegant stainless steel shower channel designed for a seamless, niche-flush fit. It features an internal slope for efficient drainage and is easy to clean. Cut to length on site, it offers a sleek and unobtrusive solution for modern showers.

Modular system where you pick the **Grate (B)**, **Drain (C)** **Assembly Feet (D)** and **Adapter (E)** to have the full TECEdrainprofile product.

**(B) TECEdrainprofile grate**
**Page 63**

Available in sizes from 800mm to 1600mm, with a choice of 7 finishes including brushed and polished.




**(C) TECEdrainprofile trap**
**Page 64**

Choice of 2 traps: side and vertical (concrete).



**(D) TECE wooden floor bracket/assembly feet**
**Page 65**
Component depending on structural floor material.





**(E) TECE drain adapter**
**Page 65**


Mandatory adapter to connect all TECE drains to BS2" PVC waste water pipes in accordance with BS5255. DN50 mechanical fit, solvent weld.



**For more information or guidance please contact our office 01761 241133**

**(B) TECEdrainprofile shower profile (grate)**

Shower profile for shower drainage, for installation in tile adhesive above the screed and seal.





| Description | Code | Dimensions (mm) |
|---|---|---|
| 800mm Grate Brushed Stainless Steel | 670800 | 800 |
| 900mm Grate Brushed Stainless Steel | 670900 | 900 |
| 1000mm Grate Brushed Stainless Steel | 671000 | 1000 |
| 1200mm Grate Brushed Stainless Steel | 671200 | 1200 |
| 1600mm Grate Brushed Stainless Steel | 671600 | 1600 |
| | | |
| 800mm Grate Brushed Black Chrome | 670801 | 800 |
| 900mm Grate Brushed Black Chrome | 670901 | 900 |
| 1000mm Grate Brushed Black Chrome | 671001 | 1000 |
| 1200mm Grate Brushed Black Chrome | 671201 | 1200 |
| | | |
| 800mm Grate Brushed Gold Optic | 670802 | 800 |
| 900mm Grate Brushed Gold Optic | 670902 | 900 |
| 1000mm Grate Brushed Gold Optic | 671002 | 1000 |
| 1200mm Grate Brushed Gold Optic | 671202 | 1200 |
| | | |
| 800mm Grate Brushed Red Gold | 670803 | 800 |
| 900mm Grate Brushed Red Gold | 670903 | 900 |
| 1000mm Grate Brushed Red Gold | 671003 | 1000 |
| 1200mm Grate Brushed Red Gold | 671203 | 1200 |
| | | |
| 800mm Grate Polished Stainless Steel | 670810 | 800 |
| 900mm Grate Polished Stainless Steel | 670910 | 900 |
| 1000mm Grate Polished Stainless Steel | 671010 | 1000 |
| 1200mm Grate Polished Stainless Steel | 671210 | 1200 |
| | | |
| 800mm Grate Polished Gold Optic | 670812 | 800 |
| 900mm Grate Polished Gold Optic | 670912 | 900 |
| 1000mm Grate Polished Gold Optic | 671012 | 1000 |
| 1200mm Grate Polished Gold Optic | 671212 | 1200 |
| | | |
| 800mm Grate Brushed Black | 670821 | 800 |
| 900mm Grate Brushed Black | 670921 | 900 |
| 1000mm Grate Brushed Black | 671021 | 1000 |
| 1200mm Grate Brushed Black | 671221 | 1200 |
| 1600mm Grate Brushed Black | 671621 | 1600 |

**(C) TECEdrainprofile drain “standard”, DN50 side drain (trap)**

Drain for TECEdrainprofile shower channel, for installing in wood over timber joist or screed, for connection to the side of a DN50 drain pipe. Includes factory fitted click-in Seal System sealing collar.
Fulfils the requirements of EN 1253-1 and DIN 18534.








| Description | Code | Dimensions (mm) |
|---|---|---|
| Standard Side Drain DN50 | 673002 | - |

**(C) TECEdrainprofile drain “vertical”, DN50 drain (trap)**

Drain for TECEdrainprofile shower channel, for installing in screed only, for vertical connection to a DN50 drain pipe. Includes factory fitted click-in Seal System sealing collar.
Fulfils the requirements of EN 1253-1 and DIN 18534.







| Description | Code | Dimensions (mm) |
|---|---|---|
| Vertical Drain DN50 | 673003 | - |

**(D) TECE wooden floor bracket**

Stainless steel bracket designed to sit within wooden floor boards, and provide structural support for the TECEdrainprofile, and TECEdrainway traps.



| Description | Code | Dimensions (mm) |
|---|---|---|
| Wooden Floor Bracket | 669010 | 96 x 300 x 160 |

**(D) TECEdrainprofile assembly feet**

Assembly feet for TECEdrainprofile drains for easy height adjustment and position fixing during shell installation. Adjustment range on “standard” drain 95-194mm and for “vertical” drain 58-157mm (lower edge of feet to the upper edge of drain or screed).



| Description | Code | Dimensions (mm) |
|---|---|---|
| Assembly Feet | 674000 | - |

**(E) TECE adapter DN50/2”**


Mandatory adapter to connect all TECE drains to BS2” PVC waste water pipes in accordance with BS5255. DN50 mechanical fit, solvent weld.



| Description | Code | Dimensions (mm) |
|---|---|---|
| Adapter DN50 x BS2” | 669012 | - |


**(OPTIONAL) TECEdrainprofile hair trap**

Hair trap made of stainless steel for inserting into the TECEdrainprofile shower profile. With “push function” for easy removal by hand.
One set (consisting of two hair traps) is required for one shower profile.




| Description | Code | Dimensions (mm) |
|---|---|---|
| Hair Guard | 674002 | - |






| | Page |
|---|---|
| TECEdrainway guide | 68 |
| Channel | 69 |
| Drain (Trap) | 70 |
| Installation componants | 71 |




**TECEdrainway**

An elegant installation solution in the shower area. Subtle integration of the shower channel in the transition between the wall and floor tiles.

Modular system where you pick the **Grate (B)**, **Drain (C), Adapter (E)** to have the full TECEdrainway product.

**(B) TECEdrainway profile**
**Page 69**
Available in sizes 1100mm and 1600mm, with a choice of 4 brushed finishes.




**(C) TECEdrainway drain**
**Page 69**

Choice of 2 traps: standard, and vertical.
Self cleaning works at flow rate of 11 LMP or more.



**(D) TECE wooden floor bracket**
**Page 70**

Stainless steel bracket designed to sit within wooden floor boards, and provide structural support for the TECEdrainway drains.



**(E) TECE drain adapter**
**Page 70**

Mandatory adapter to connect all TECE drains to BS2" PVC waste water pipes in accordance with BS5255. DN50 mechanical fit, solvent weld.




**For more information or guidance please contact our office 01761 241133**

**(B) TECEdrainway shower profile (grate)**

Shower profile for shower drainage, for installation in tile adhesive above the screed and seal.







| Description | Code | Dimensions (mm) |
|---|---|---|
| 1100mm Grate Brushed Stainless Steel | 691100 | 1100 |
| 1100mm Grate Brushed Black | 691120 | 1100 |
| 1100mm Grate Brushed Brass | 691130 | 1100 |
| 1100mm Grate Brushed Bronze | 691140 | 1100 |
| 1600mm Grate Brushed Stainless Steel | 691600 | 1600 |
| 1600mm Grate Brushed Black | 691620 | 1600 |
| 1600mm Grate Brushed Brass | 691630 | 1600 |
| 1600mm Grate Brushed Bronze | 691640 | 1600 |

**(C) TECEdrainway horizontal “standard” drain, DN50 (trap)**

Drain with free-flow technology for TECEdrainway shower profiles, for installation in screed, for connection to a DN50 drain pipe (180° swivelling). With factory-fitted Seal System sealing collar. Meets the requirements of EN 1253-1.







| Description | Code | Dimensions (mm) |
|---|---|---|
| Standard Drain DN50 | 693010 | - |

**(C) TECEdrainway “vertical” drain, DN50 (trap)**

Drain with free-flow technology for TECEdrainway shower profiles, for installation in screed, for vertical connection to a DN50 drain pipe (180° swivelling). With factory-fitted Seal System sealing collar. Meets the requirements of EN 1253-1 and DIN 18534.







| Description | Code | Dimensions (mm) |
|---|---|---|
| Vertical Drain DN50 | 693030 | - |

**(D) TECE wooden floor bracket**

Stainless steel bracket designed to sit within wooden floor boards, and provide structural support for the TECEdrainprofile, and TECEdrainway traps.



| Description | Code | Dimensions (mm) |
|---|---|---|
| Wooden Floor Bracket | 669010 | 96 x 300 x 160 |

**(E) TECE adapter DN50/2”**

Mandatory adapter to connect all TECE drains to BS2” PVC waste water pipes in accordance with BS5255. DN50 mechanical fit, solvent weld.



| Description | Code | Dimensions (mm) |
|---|---|---|
| Adapter DN50 x BS2” | 669012 | - |

**TECEdrainway extension adapter for “natural stone” adjustment disc**

Extension adapters (2 pcs.) for the adjustment ring, allowing continuous height adjustment of floor build-ups from 16–32 mm (including the adhesive bed). Compatible with all TECEdrainway drains.



| Description | Code | Dimensions (mm) |
|---|---|---|
| Natural Stone Adjustment Disc | 694008 | - |

**TECEdrainway cleaning spiral**

Plastic-coated pipe cleaning spiral for cleaning drain pipes.

Diameter: approx. 7mm.
Length: 2.5m.



| Description | Code | Dimensions (mm) |
|---|---|---|
| Cleaning Spiral | 694000 | - |




# Table of contents TECEdrainline




| | Page |
|---|---|
| TECEdrainline guide | 74 |
| Channel | 75 |
| Grate | 76 |
| Drain (Trap), Adapter | 78 |
| Installation components | 79 |

# Drainage Systems - TECEdrainline




**TECEdrainline**

TECEdrainline combines reliable drainage with minimalist design and flexible installation. Its modular system offers a range of covers and channel bodies to suit any shower layout. Discreet and effective, it fits seamlessly into modern bathrooms.

Modular system where you pick the **Chassis (A)**, **Grate (B)** and **Drain (D)** and **Adapter (E)** to have the full TECEdrainline product.

**(A) TECEdrainline chassis**
**Page 75**

Available in sizes from 700mm to 1500mm, with a choice of 3 chassis styles: straight channel, matt coloured channel, and upwall channel.



**(B) TECEdrainline grate**
**Page 76**

Available in sizes from 700mm to 1500mm, with a choice of 4 grate styles: brushed stainless steel, matt coloured, satin glass and self tileable grate.



**(C) TECEdrainline trap**
**Page 78**

Choice of 3 drain styles: flat, horizontal, standard 50mm horizontal and standard vertical.



**(E) TECE drain adapter**
**Page 78**

Mandatory adapter to connect all TECE drains to BS2" PVC waste water pipes in accordance with BS5255. DN50 mechanical fit, solvent weld.




**For more information or guidance please contact office**

**(A) TECEdrainline shower channel with Seal System sealing tape**

Straight channel body for installation, with flange and seal system sealing tape, for creating an independently tested connection of the TECEdrainline shower channel to the surrounding floor and walls.







| Description | Code | Dimensions (mm) |
|---|---|---|
| 700mm Straight Channel | 600700 | 700 |
| 800mm Straight Channel | 600800 | 800 |
| 900mm Straight Channel | 600900 | 900 |
| 1000mm Straight Channel | 601000 | 1000 |
| 1200mm Straight Channel | 601200 | 1200 |
| 1500mm Straight Channel | 601500 | 1500 |

**(A) TECEdrainline shower channel, colour coated, with Seal System sealing tape**

Coloured channel body for installation, with flange and seal system sealing tape, for creating an independently tested connection of the TECEdrainline shower channel to the surrounding floor and walls.







| Description | Code | Dimensions (mm) |
|---|---|---|
| 700mm Straight Channel, Matt Black | 600705 | 700 |
| 800mm Straight Channel, Matt Black | 600805 | 800 |
| 900mm Straight Channel, Matt Black | 600905 | 900 |
| 1000mm Straight Channel, Matt Black | 601005 | 1000 |
| 1200mm Straight Channel, Matt Black | 601205 | 1200 |
| 1500mm Straight Channel, Matt Black | 601505 | 1500 |
| 700mm Straight Channel, Matt White | 600706 | 700 |
| 800mm Straight Channel, Matt White | 600806 | 800 |
| 900mm Straight Channel, Matt White | 600906 | 900 |
| 1000mm Straight Channel, Matt White | 601006 | 1000 |
| 1200mm Straight Channel, Matt White | 601206 | 1200 |
| 1500mm Straight Channel, Matt White | 601506 | 1500 |

**(A) TECEdrainline shower channel with back to wall upstand and Seal System sealing tape**

Straight channel body with wall upstand for installation in the screed against the wall, with flange and seal system sealing tape, for creating an independently tested connection of the TECEdrainline shower channel to the composite seal. For wood over timber joist: joist positioning integral.







| Description | Code | Dimensions (mm) |
|---|---|---|
| 700mm Upwall (Back to Wall) Straight Channel | 600701 | 700 |
| 800mm Upwall (Back to Wall) Straight Channel | 600801 | 800 |
| 900mm Upwall (Back to Wall) Straight Channel | 600901 | 900 |
| 1000mm Upwall (Back to Wall) Straight Channel | 601001 | 1000 |
| 1200mm Upwall (Back to Wall) Straight Channel | 601201 | 1200 |
| 1500mm Upwall (Back to Wall) Straight Channel | 601501 | 1500 |

**(B) TECEdrainline design cover “steel II” stainless steel for shower channel (grate)**

Design cover grate for TECEdrainline shower channel, made of stainless steel, for fitting into the channel body. Maximum test load 300kg based on load class K3.







| Description | Code | Dimensions (mm) |
|---|---|---|
| 700mm Grate II, Brushed Stainless Steel | 600783 | 700 |
| 800mm Grate II, Brushed Stainless Steel | 600883 | 800 |
| 900mm Grate II, Brushed Stainless Steel | 600983 | 900 |
| 1000mm Grate II, Brushed Stainless Steel | 601083 | 1000 |
| 1200mm Grate II, Brushed Stainless Steel | 601283 | 1200 |
| 1500mm Grate II, Brushed Stainless Steel | 601583 | 1500 |

**(B) TECEdrainline design cover “steel” stainless steel colour-coated for shower channel (grate)**

Design cover grate for TECEdrainline shower channel, made of stainless steel with coloured coating, for fitting into the channel body. Maximum test load 300kg based on load class K3.







| Description | Code | Dimensions (mm) |
|---|---|---|
| 700mm Design Grate, Matt Black | 600785 | 700 |
| 800mm Design Grate, Matt Black | 600885 | 800 |
| 900mm Design Grate, Matt Black | 600985 | 900 |
| 1000mm Design Grate, Matt Black | 601085 | 1000 |
| 1200mm Design Grate, Matt Black | 601285 | 1200 |
| 1500mm Design Grate, Matt Black | 601585 | 1500 |
| | | |
| 700mm Design Grate, Matt White | 600786 | 700 |
| 800mm Design Grate, Matt White | 600886 | 800 |
| 900mm Design Grate, Matt White | 600986 | 900 |
| 1000mm Design Grate, Matt White | 601086 | 1000 |
| 1200mm Design Grate, Matt White | 601286 | 1200 |
| 1500mm Design Grate, Matt White | 601586 | 1500 |

**(B) TECEdrainline glass cover for shower channel, satin finish (grate)**







Design cover for TECEdrainline shower channel, made of stainless steel with a satin glass surface, for fitting into the channel body. Maximum test load 300kg based on load class K3. The finishes are colour matched to the TECEsquare glass II satin toilet flush plates.

| Description | Code | Dimensions (mm) |
|---|---|---|
| 700mm Design Grate, Satin Glass Black | 600793 | 700 |
| 800mm Design Grate, Satin Glass Black | 600893 | 800 |
| 900mm Design Grate, Satin Glass Black | 600993 | 900 |
| 1000mm Design Grate, Satin Glass Black | 601093 | 1000 |
| 1200mm Design Grate, Satin Glass Black | 601293 | 1200 |
| 1500mm Design Grate, Satin Glass Black | 601593 | 1500 |
| | | |
| 700mm Design Grate, Satin Glass White | 600794 | 700 |
| 800mm Design Grate, Satin Glass White | 600894 | 800 |
| 900mm Design Grate, Satin Glass White | 600994 | 900 |
| 1000mm Design Grate, Satin Glass White | 601094 | 1000 |
| 1200mm Design Grate, Satin Glass White | 601294 | 1200 |
| 1500mm Design Grate, Satin Glass White | 601594 | 1500 |

**(B) TECEdrainline tileable channel “plate II” stainless steel for shower channel**






Tileable grate for TECEdrainline shower channel, for fitting into the channel body, made of stainless steel. Maximum test load 300kg based on load class K3. Tiles can be attached by the customer using elastic adhesive, e.g. silicon or epoxy resin adhesive.


| Description | Code | Dimensions (mm) |
|---|---|---|
| 700mm Tile Grate | 600772 | 700 |
| 800mm Tile Grate | 600872 | 800 |
| 900mm Tile Grate | 600972 | 900 |
| 1000mm Tile Grate | 601072 | 1000 |
| 1200mm Tile Grate | 601272 | 1200 |
| 1500mm Tile Grate | 601572 | 1500 |

# Drainage Systems - TECEdrainline trap, adapter

**(C) TECEdrainline drain “standard”, DN50 side drain**

Drain for TECEdrainline shower channel to fit to the drain body, with removable syphon immersion pipe. Can be turned 360°, with removable syphon immersion pipe. Fulfils the requirements of EN 1253-1.
Water seal height - 50mm.







| Description | Code | Dimensions (mm) |
|---|---|---|
| Standard 50mm Horizontal Trap DN50 | 650001 | - |

**(C) TECEdrainline drain “vertical”, DN50 vertical drain**

Drain for TECEdrainline shower channel to fit to the drain body, with removable syphon immersion pipe. Can be turned 360°, with removable syphon immersion pipe. Fulfils the requirements of EN 1253-1.
Water seal height - 50mm.







| Description | Code | Dimensions (mm) |
|---|---|---|
| Vertical Trap DN70 | 650003 | - |

**(C) TECEdrainline drain “flat”, DN50 side drain**

Drain for TECEdrainline shower channel to fit to the drain body, with removable syphon immersion pipe. Can be turned 360°, with removable syphon immersion pipe. Fulfils the requirements of EN 1253-6.
Water seal height - 25mm.






| Description | Code | Dimensions (mm) |
|---|---|---|
| Flat (lowlevel) Horizontal Trap DN50 | 650000 | - |

**(E) TECE adapter DN50/2”**

Mandatory adapter to connect all TECE drains to BS2” PVC waste water pipes in accordance with BS5255. DN50 mechanical fit, solvent weld.




| | Code | Dimensions (mm) |
|---|---|---|
| Adapter DN50 x BS2” | 669012 | - |

**(Optional) TECEdrainline assembly feet set (4) 92mm - 139mm**

Assembly feet to make it easy to adjust the height of the channel body and fix the position during shell assembly.







| Description | Code | Dimensions (mm) |
|---|---|---|
| Assembly Feet Set (4) 92mm - 139mm | 660003 | - |

**(Optional) TECEdrainline assembly feet 137mm - 184mm**

Assembly feet to make it easy to adjust the height of the channel body and fix the position during shell assembly.







| Description | Code | Dimensions (mm) |
|---|---|---|
| Assembly Feet (4) 137mm - 184mm | 660004 | - |

**(Optional) TECEdrainline hair trap**


Hair trap made of stainless steel, for fitting into the channel body.



| Description | Code | Dimensions (mm) |
|---|---|---|
| Hair Trap | 660005 | - |

**(Optional) TECEdrainline fire protection for vertical drain**

Fire protection set for direct vertical installation on the TECEdrainline DN50 drain, for highly fire resistant partitioning of ceiling bushings in solid ceilings up to 120 min.



| Description | Code | Dimensions (mm) |
|---|---|---|
| Fire Protection for Vertical Drain | 660006 | - |

**(Optional) TECEdrainline seal system tape**

Assembly feet to make it easy to adjust the height of the channel body and fix the position during shell assembly.



| Description | Code | Dimensions (mm) |
|---|---|---|
| Seal System Tape | 660019 | 100mm x 3.9m |




Drainage Systems

# Table of contents TECEdrainline natural stone




| | Page |
|---|---|
| TECEdrainline natural stone guide | 82 |
| Installation components | 83 |
| Accessories | 84 |

# Drainage Systems - TECEdrainline natural stone





**TECEdrainline natural stone**

TECEdrainline for natural stone offers reliable drainage with a refined, flush finish. Designed for stone floors, it allows elegant integration without disrupting the material's surface. Discreet and durable, it's the ideal solution for premium natural stone bathrooms.

Modular system where you pick the **Chassis (A+B)**, **Trap (D)** and **Adapter (E)** to have the full TECEdrainline product.

**(A+ B) TECEdrainline natural stone chassis**
**Page 83**

Available in sizes from 700mm to 1500mm. Grate included



**(C) TECEdrainline trap**
**Page 83**
Choice of 3 drain styles: flat horizontal, standard 50mm horizontal and standard vertical.



**(E) TECE drain adapter**
**Page 85**


Mandatory adapter to connect all TECE drains to BS2" PVC waste water pipes in accordance with BS5255. DN50 mechanical fit, solvent weld.




**For more information or guidance please contact our office 01761 241133**

**(A+B) TECEdrainline shower channel for natural stone with Seal System sealing tape and stainless steel support as a set**

TECEdrainline shower channel for natural stone with seal system sealing tape and stainless steel support as a set.







| Description | Code | Dimensions (mm) |
|---|---|---|
| 700mm Stone Channel | 650700 | 700 |
| 800mm Stone Channel | 650800 | 800 |
| 900mm Stone Channel | 650900 | 900 |
| 1000mm Stone Channel | 651000 | 1000 |
| 1200mm Stone Channel | 651200 | 1200 |
| 1500mm Stone Channel | 651500 | 1500 |

**(C) TECEdrainline drain "standard", DN50 side drain**

Drain for TECEdrainline shower channel to fit to the drain body, with removable syphon immersion pipe. Can be turned 360°. Fulfils the requirements of EN 1253-1.
Water seal height - 50mm.







| Description | Code | Dimensions (mm) |
|---|---|---|
| Standard 50mm Horizontal Trap DN50 | 650001 | - |

**(C) TECEdrainline drain "vertical", DN50 vertical drain**

Drain for TECEdrainline shower channel to fit to the drain body, with removable syphon immersion pipe. Can be turned 360°. Fulfils the requirements of EN 1253-1.
Water seal height - 50mm.







| Description | Code | Dimensions (mm) |
|---|---|---|
| Vertical Trap DN70 | 650003 | - |

**(C) TECEdrainline drain "flat", DN50 side drain**

Drain for TECEdrainline shower channel to fit to the drain body, with removable syphon immersion pipe. Can be turned 360°. Fulfils the requirements of EN 1253-6.
Water seal height - 25mm.






| Description | Code | Dimensions (mm) |
|---|---|---|
| Flat (lowlevel) Horizontal Trap DN50 | 650000 | - |

**(E) TECE adapter DN50/2"**

Mandatory adapter to connect all TECE drains to BS2" PVC waste water pipes in accordance with BS5255. DN50 mechanical fit, solvent weld.




| | Code | Dimensions (mm) |
|---|---|---|
| Adapter DN50 x BS2" | 669012 | - |

# Drainage Systems - TECEdrainline natural stone optional extras

**TECEdrainline assembly feet set (4) 92mm - 139mm**

Assembly feet to make it easy to adjust the height of the channel body and fix the position during shell assembly.







| Description | Code | Dimensions (mm) |
|---|---|---|
| Assembly Feet Set (4) 92mm - 139mm | 660003 | - |

**TECEdrainline assembly feet 137mm - 184mm**

Assembly feet to make it easy to adjust the height of the channel body and fix the position during shell assembly.







| Description | Code | Dimensions (mm) |
|---|---|---|
| Assembly Feet (4) 137mm - 184mm | 660004 | - |

**TECEdrainline hair trap**


Hair trap made of stainless steel, for fitting into the channel body.



| Description | Code | Dimensions (mm) |
|---|---|---|
| Hair Trap | 660005 | - |

**TECEdrainline fire protection for vertical drain**

Fire protection set for direct vertical installation on the TECEdrainline DN50 drain, for highly fire resistant partitioning of ceiling bushings in solid ceilings up to 120 min.



| Description | Code | Dimensions (mm) |
|---|---|---|
| Fire Protection for Vertical Drain | 660006 | - |

**TECEdrainline seal system tape**

Assembly feet to make it easy to adjust the height of the channel body and fix the position during shell assembly.



| Description | Code | Dimensions (mm) |
|---|---|---|
| Seal System Tape | 660019 | 100mm x 3.9m |

# Wetroom Shower Gradient Boards

**EForm 22 model A**

Flat gradient formers with a waterproof coating. EForms are a thin board system used to create a consistent gradient. Shapes and sizes offer very flexible design potential.



| Description | Code | Size |
|---|---|---|
| Universal Gradient, Model A | 00500170 | 1000 x 1000 x 8/22mm |

**EForm 22 model B**


Flat gradient formers with a waterproof coating. EForms are a thin board system used to create a consistent gradient. Shapes and sizes offer very flexible design potential.



| Description | Code | Size |
|---|---|---|
| Universal Gradient, Model B | 00500171 | 500 x 1000 x 22/30mm |

**EForm 22 model D**


Flat gradient formers with a waterproof coating. EForms are a thin board system used to create a consistent gradient. Shapes and sizes offer very flexible design potential.



| Description | Code | Size |
|---|---|---|
| Universal Gradient, Model D | 00500173 | 700 x 1000 x 8/22mm |

**EForm 22 model V**


Flat gradient formers with a waterproof coating. EForms are a thin board system used to create a consistent gradient. Shapes and sizes offer very flexible design potential.



| Description | Code | Size |
|---|---|---|
| Universal Gradient, Model V | 00500174 | 1000 x 1000 x 8/22mm |

**Shower Gradient Trim Pieces**

Polished Stainless Steel gradient trim pieces, to finish off outer edges of shower area, where gradient floors meet the flat floor of the rest of the bathroom. Compatible with EForm 22 floor formers, and available as left and right hand versions. Suitable for floor finishes up to 16mm.



| Description | Code | Size |
|---|---|---|
| Left Hand | 36503 | 1250 x 55 x 0-22mm |
| Right Hand | 36504 | 1250 x 55 x 0-22mm |

# Wetroom Waterproofing

**EdgeSEAL™ waterproofing tape**

Waterproofing sealing tape that stops leaking between shower trays or baths, and the wall. Fix to tray & behind tiles for an invisible finish. In convenient project sizes.



| Description | Code | Size |
|---|---|---|
| Bath / Shower Sealant, Small | 00700517 | 20cm x 2m |
| Bath / Shower Sealant, Medium | 00700518 | 20cm x 2.85m |
| Bath / Shower Sealant, Large | 00700519 | 20cm x 3.3m |
| Bath / Shower Sealant, Trade Pack | 00700520 | 20cm x 20m |

**AquaeSEAL™ waterproofing membrane**

Fast drying (3 hours at 20c), flexible synthetic gel membrane for all showers. Permanently seals walls and floors. Suits all surfaces including plasterboard, WBP, tilebacker boards, concrete & wood.




| Description | Code | Size |
|---|---|---|
| RP Waterproof Membrane 6kg Tub | 00400050 | Tub Approx. 5m² |
| Waterproof J.S.T Joint Sealing Tape 5m | 00400051 | 5m x 120mm |
| Waterproof J.S.T Joint Sealing Tape 10m | 00400052 | 10m x 120mm |
| Waterproof J.S.T Joint Sealing Tape 25m | 00400053 | 25m x 120mm |
| Waterproof J.S.T Joint Sealing Tape 50m | 00400054 | 50m x 120mm |
| Waterproof Corner Joint Sealing Tape Internal | 00400055 | 120mm Wide |
| Waterproof Corner Joint Sealing Tape External | 00400056 | 120mm Wide |
| | | |
| UNO3 Kit inc. 5m Membrane Tub, 5m J.S.T and Internal Corner | 09900074 | Approx 5m² |
| Medio3 Kit inc. 10m Membrane Tubs, 10m J.S.T and Internal Corner | 09900075 | Approx 10m² |

**AquaeGUARD™ waterproofing membrane**

Durable, thin, and light waterproof membrane protects substrates from water damage below tiles. AquaeGUARD™ universal membrane is suitable for both floors and walls alike, and AquaeGUARD™ Floor is only suitable for floors.



| Description | Code | Size |
|---|---|---|
| Universal, Waterproof Membrane Roll 5m | 00700500 | 5m |
| Universal, Waterproof Membrane Roll 10m | 00700501 | 10m |
| Universal, Waterproof Membrane Roll 30m | 00700502 | 30m |
| Floor, Waterproof Membrane Roll 5m | 00700503 | 5m |
| Floor, Waterproof Membrane Roll 30m | 00700504 | 30m |
| Waterproof Corner Joint Sealing Tape Internal | 00700506 | 120mm Wide |
| Waterproof Corner Joint Sealing Tape External | 00700507 | 120mm Wide |
| Joint Sealing Tape Roll 10m | 00700508 | 10m x 120mm Wide |
| Joint Sealing Tape Roll 15m | 00700509 | 15m x 120mm Wide |
| Joint Sealing Tape Roll 50m | 00700510 | 50m x 120mm Wide |
| | | |
| 5m² Kit inc. Waterproof Membrane, 5m J.S.T and Internal Corner | 00700513 | 5m² Kit |
| 10m² Kit inc. Waterproof Membrane, 10m J.S.T and Internal Corner | 00700514 | 10m² Kit |

More information on
www.tece.co.uk

TECE Limited
Tel +44 (0)1761 241133
info@tece.co.uk
www.tece.co.uk